



GBOND INDUSTRIAL ADHESIVE & POWDERS

77GBON5028

PRODUCT DESCRIPTION:

GLUEANGEL GBOND INDUSTRIAL ADHESIVE & FILLING POWDERS sets in 007 seconds! This product offers a hard and fast solution to nearly all repair problems. It can be used simply as an adhesive or together with the filling powders to repair almost anything.

GLUEANGEL BLACK POWDER can be used to repair, fill and reinforce hard plastics and metals such a bumpers, grills, radiators, side mirrors, door handles, distributor caps and much more.

GLUEANGEL GREY POWDER can be used to repair, fill and reinforce hard plastics and metal surfaces such cracked metal and plastic casings on automobiles and motorcycles with temperature resistance up to 356°F (180°C), damaged wheel covers, lap tops, pool pumps and much more.

DIRECTIONS FOR USE:

- Ensure surfaces to be repaired are cleaned, dry and free from dust, paint, oil or grease particles.
- Apply filling powder to the area being repaired. Once the area is filled, drip adhesive onto the powder, making sure that the applicator nozzle doesn't touch the powder.
- To fill in missing parts, place a piece of tape underneath the gap, fill with powder and apply adhesive. Once hardened remove tape.

Fine nozzle extender supplied for delicate work that requires accuracy.





NOTE:

Do not cut bottle open. Pierce with pin supplied and seal with pin after use. Store in a cool dry place. Not suitable for polyethylene and polypropylene.

STORAGE AND SHELF LIFE:

GLUEANGEL GBOND INDUSTRIAL ADHESIVE & FILLING POWDER has a shelf life of 12 months (the expiry date is shown on the packaging), when stored at a temperature between 2°C and 20°C in its original unopened packaging. Temperatures less than 2°C can adversely affect product properties. Do not freeze. Keep containers tightly closed until ready for use.

CAUTION:

- Keep out of reach of children
- Bonds on contact and heat created can burn skin
- Should fingers stick, apply a solvent such as acetone to contact area and rinse with water
- Avoid contact with eyes. If contact occurs, rinse immediately with clean water and seek medical attention.
- Harmful vapours. Use in well ventilated area.

PACKAGING:

Each GLUENAGEL GBOND INDUSTRIAL ADHESIVE & FILLING POWDER box contains:

- 2 x 10g Adhesive
- 1 x Black Powder
- 1 x Grey Powder
- 1 x Fine Nozzle Extender





TECHNICAL DATA SHEET



DISCLAIMER:

The data contained herein are furnished for informational purposes only and are believed to be reliable. However, National Adhesive Inc does not assume responsibility for any results obtained by persons over whose methods National Adhesive Inc has no control. It is the user's responsibility to determine the suitability of National Adhesive Inc products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any National Adhesive Inc products. National Adhesive Inc specifically disclaims all warranties express or implied, including warranties of saleability and suitability for a particular purpose arising from sale or use of National Adhesive Inc products. National Adhesive Inc further disclaims any liability for consequential or incremental damages of any kind including lost profits.

